

MAR 1 9 2001

Atty Docket No.  
P1245R1P1

Serial No.  
09/322,875

Applicant  
Chuntharapai et al.

Filing Date  
28 May 1999

Group  
1644

Examiner Initials	Document Number	Date	Country	Class	Subclass	Translation	
						Yes	No
R✓	105 WO 00/67793	16.11.00	PCT				

Date Considered

3/26/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.  
P1245R1P1

Serial No.  
09/322,875

### LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant  
Chuntharapai et al.

Filing Date  
28 May 1999

Group 1644 DEC 15 2000

U.S. PATENT DOCUMENTS

TECH CENTER T600/2900

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
<i>R</i>	1	5,763,223	09.06.98	Wiley et al.			

## FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No
N 1	2	WO 98/51793	19.11.98	PCT	—	—		
	3	WO 99/37684	29.07.99	PCT	—	—		
	4	WO 99/64461	16.12.99	PCT	—	—		

**OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)**

[illegible]

Examiner

Date Considered

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce

Atty Docket No.

Serial No.

P1245R1P1

09/322,875

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

FEB 10 2000

FOREIGN PATENT DOCUMENTS

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes	No
R	* 1	WO 92/15698	17.09.92	PCT				
	2	WO 97/01633	16.01.97	PCT				
	3	WO 97/25428	17.07.97	PCT				
	* 4	WO 98/32856	30.07.98	PCT				

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)


R	5	Amakawa et al., "The Hodgkin Disease Antigen CD30 is Crucial for Antigen-induced Death of Developing T Cells" <u>Cold Spring Harbor Laboratory Symposium on Programmed Cell Death</u> (Abstr. No. 10) (1995)	
	6	Armitage et al., "Molecular and biological characterization of a murine ligand for CD40" <u>Nature</u> 357(6373):80-82 (May 7, 1992)	
	7	Aruffo et al., "CD44 is the Principal Cell Surface Receptor for Hyaluronate" <u>Cell</u> 61:1303-1313 (June 29, 1990)	
	8	Baldwin, "The NF- $\kappa$ B and I $\kappa$ B Proteins: New Discoveries and Insights" <u>Ann. Rev. Immunol.</u> 14:649-681 (1996)	
	9	Banner et al., "Crystal Structure of the Soluble Human 55 kd TNF Receptor-Human TNF $\beta$ Complex: Implications for TNF Receptor Activation" <u>Cell</u> 73:431-445 (1993)	
	10	Barr et al., "Apoptosis and Its Role in Human Disease" <u>Bio/Technology</u> 12:487-493 (1994)	
	11	Blake et al., "Metal binding properties of a monoclonal antibody directed toward metal-chelate complexes" <u>Journal of Biological Chemistry</u> 271(44):27677-27685 (Nov 1, 1996)	
	12	Bodmer et al., "TRAMP, a Novel Apoptosis-Mediating Receptor with Sequence Homology to Tumor Necrosis Factor Receptor 1 and Fas(Apo-1/CD95)" <u>Immunity</u> 6:79-88 (1997)	
	13	Boldin et al., "Involvement of MACH, a Novel MORT1/FADD-Interacting Protease, in Fas/APO-1- and TNF Receptor-Induced Cell Death" <u>Cell</u> 85:803-815 (1996)	
	14	Boldin et al., "Self-Association of the "Death Domains" of the p55 Tumor Necrosis Factor (TNF) Receptor and Fas/APO1 Prompts Signaling for TNF and Fas/APO1 Effects" <u>Journal of Biological Chemistry</u> 270:387-391 (1995)	
	15	Brockhaus et al., "Identification of two types of tumor necrosis factor receptors on human cell lines by monoclonal antibodies" <u>Proc. Natl. Acad. Sci. USA</u> 87:3127-3131 (1990)	
	16	Brojatsch et al., "CAR1, a TNFR-Related Protein, Is a Cellular Receptor for Cytopathic Avian Leukosis-Sarcoma Viruses and Mediates Apoptosis" <u>Cell</u> 87:845-855 (Nov 29, 1996)	
	17	Browning et al., "Lymphotoxin $\beta$ , a Novel Member of the TNF Family That Forms a Heteromeric Complex with Lymphotoxin on the Cell Surface" <u>Cell</u> 72:847-856 (1993)	
	*18	Chaudhary et al., "Death Receptor 5, a New Member of the TNFR Family, and DR4 Induce FADD-Dependent Apoptosis and Activate the NF- $\kappa$ B Pathway" <u>Immunity</u> 7:821-830 (1997)	
	19	Chinnaiyan and Dixit, "The Cell-Death Machine" <u>Current Biology</u> 6:555-562 (1996)	
	20	Chinnaiyan et al., "FADD, a novel death domain-containing protein, interacts with the death domain of Fas and initiates apoptosis" <u>Cell</u> 81:505-512 (1995)	

Examiner

Date Considered

3/14/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449		U.S. Dept. of Commerce Patent and Trademark Office		Atty Docket No. P1245R1P1	Serial No. 09/322,875
LIST OF DISCLOSURES CITED BY APPLICANT (Use several sheets if necessary)				Applicant Chuntharapai et al.	
				Filing Date 28 May 1999	Group 1644
OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)					
21	Chinnaiyan et al., "FADD/MORT1 Is a Common Mediator of CD95 (Fas/APO-1) and Tumor Necrosis Factor Receptor-induced Apoptosis" <u>Journal of Biological Chemistry</u> 271:4961-4965 (1996)				
22	Chinnaiyan et al., "Interaction of CED-4 with CED-3 and CED-9: A Molecular Framework for Cell Death" <u>Science</u> 275:1122-1126 (1997)				
23	Chinnaiyan et al., "Signal Transduction by DR3, a Death Domain-Containing Receptor Related to TNFR-1 and CD95" <u>Science</u> 274:990-992 (1996)				
24	Cleveland and Ihle, "Contenders in FasL/TNF Death Signaling" <u>Cell</u> 81:479-482 (1995)				
25	Craig et al., "The role of structure in antibody cross-reactivity between peptides and folded proteins" <u>Journal of Molecular Biology</u> 281(1):183-201 (Aug 7, 1998)				
26	Dealtry et al., "DNA Fragmentation and Cytotoxicity Caused by Tumor Necrosis Factor is Enhanced by Interferon- $\gamma$ " <u>European Journal of Immunology</u> 17:689-693 (1987)				
27	Degli-Esposti et al., "Cloning and Characterization of TRAIL-R3, a Novel Member of the Emerging TRAIL Receptor Family" <u>Journal of Experimental Medicine</u> 186(7):1165-1170 (Oct 6, 1997)				
28	Enari et al., "Involvement of an ICE-like protease in Fas-mediated Apoptosis" <u>Nature</u> 375:78-81 (1995)				
29	Fraser and Evan, "A License to Kill" <u>Cell</u> 85:781-784 (1996)				
30	Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor" <u>Molecular &amp; Cellular Biology</u> 11:3020-3026 (1991)				
31	Gruss and Dower, "Tumor Necrosis Factor Ligand Superfamily: Involvement in the Pathology of Malignant Lymphomas" <u>Blood</u> 85:3378-3404 (1995)				
32	Hale et al., "Demonstration of in vitro and in vivo efficacy of two biologically active human soluble TNF receptors expressed in E. coli" <u>J. Cell. Biochem.</u> (abstract only Supplement 15F; P 424) pps. 113 (1991)				
33	Hohmann et al., "Two different cell types have different major receptors for human tumor necrosis factor (TNF $\alpha$ )" <u>Journal of Biological Chemistry</u> 264(25):14927-14934 (1989)				
34	Hsu et al., "TRADD-TRAF2 and TRADD-FADD interactions define two distinct TNF receptor 1 signal transduction pathways" <u>Cell</u> 84:299-308 (1996)				
35	Itoh et al., "The polypeptide encoded by the cDNA for human cell surface antigen Fas can mediate apoptosis" <u>Cell</u> 66:233-243 (1991)				
36	Johnson et al., "Expression and Structure of the Human NGF Receptor" <u>Cell</u> 47:545-554 (November 21, 1986)				
37	Kitson et al., "A Death-Domain-Containing Receptor that Mediates Apoptosis" <u>Nature</u> 384:372-375 (1996)				
38	Kohno et al., "A second tumor necrosis factor receptor gene product can shed a naturally occurring tumor necrosis factor inhibitor" <u>Proc. Natl. Acad. Sci. USA</u> 87:8331-8335 (1990)				
39	Kortt et al., "Single-chain Fv fragments of anti-neuraminidase antibody NC10 containing five- and ten-residue linkers form dimers and with zero-residue linker a trimer" <u>Protein Engineering</u> 10(4):423-433 (Apr 1997)				
40	Krammer et al., "Regulation of Apoptosis in the Immune System" <u>Curr. Op. Immunol.</u> 6:279-289 (1994)				
Examiner 				Date Considered 3/14/01	
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1245R1P1

Serial No.

09/322,875

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

FEB 10 2000

Applicant

Chuntharapai et al.

Filing Date

28 May 1999

Group

1644

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

41	R/	Lewis et al., "Cloning and expression of cDNAs for two distinct murine tumor necrosis factor receptors demonstrate one receptor is species specific" <u>Proc. Natl. Acad. Sci. USA</u> 88:2830-2834 (1991)
42	I	Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor" <u>Cell</u> 61:351-359 (April 20, 1990)
*43		MacFarlane et al., "Identification and Molecular Cloning of Two Novel Receptors for the Cytotoxic Ligand TRAIL" <u>Journal of Biological Chemistry</u> 272(41):25417-25420 (Oct 10, 1997)
44		Mallett et al., "Characterization of the MRC OX40 Antigen of Activated CD4 Positive T Lymphocytes - a Molecule Related to Nerve Growth Factor Receptor" <u>EMBO Journal</u> 9:1063-1068 (1990)
*45		Marsters et al., "A Novel Receptor for Apo2L/TRAIL Contains a Truncated Death Domain" <u>Current Biology</u> 7:1003-1006 (1997)
46		Marsters et al., "Activation of Apoptosis by Apo-2 Ligand is Independent of FADD but Blocked by CrmA" <u>Current Biology</u> 6(6):750-752 (1996)
47		Marsters et al., "Apo-3, a New Member of the Tumor Necrosis Factor Receptor Family, Contains a Death Domain and Activates Apoptosis and NF- $\kappa$ B" <u>Curr. Biol.</u> 6(12):1669-1676 (1996)
48		Marsters et al., "Herpesvirus Entry Mediator, A Member of the Tumor Necrosis Factor (TNFR) Family, Interacts with Members of the TNFR-associated Factor Family and Activates the Transcription Factors NF- $\kappa$ B and AP-1" <u>Journal of Biological Chemistry</u> 272(22):14029-14032 (1997)
*49		Mongkolsapaya et al., "Cutting Edge: Lymphocyte inhibitor of TRAIL (TNF-related apoptosis-inducing ligand): a new receptor protecting lymphocytes from the death ligand TRAIL" <u>Journal of Immunology</u> 160(1):3-6 (Jan 1, 1998)
50		Montgomery et al., "Herpes Simplex Virus-1 Entry into Cells Mediated by a Novel Member of the TNF/NGF Receptor Family" <u>Cell</u> 87(3):427-436 (1996)
51		Moore et al., "Simultaneous measurement of cell cycle and apoptotic cell death" <u>Methods in Cell Biology</u> , Chapter 15, 57:265-278 (1998)
52		Muzio et al., "FLICE, A Novel FADD-Homologous ICE/CED-3-like Protease, Is Recruited to the CD95 (Fas/APO-1) Death-Inducing Signaling Complex" <u>Cell</u> 85:817-827 (1996)
53		Nagata et al., "The Fas Death Factor" <u>Science</u> 267:1449-1456 (1995)
54		Nagata, "Apoptosis by Death Factor" <u>Cell</u> 88:355-365 (1997)
55		Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor" <u>EMBO Journal</u> 9:3269-3278 (1990)
*56		Pan et al., "An Antagonist Decoy Receptor and a Death-domain Containing Receptor for TRAIL" <u>Science</u> 277:815-818 (1997)
*57		Pan et al., "The Receptor for the Cytotoxic Ligand TRAIL" <u>Science</u> 276:111-113 (1997)
58		Peetre et al., "A tumor necrosis factor binding protein is present in human biological fluids" <u>Eur. J. Haematol.</u> 41:414-419 (1988)
59		Pitti et al., "Induction of Apoptosis by Apo-2 Ligand, a New Member of the Tumor Necrosis Factor Cytokine Family" <u>Journal of Biological Chemistry</u> 271:12687-12690 (1996)
60		Radeke et al., "Gene transfer and molecular cloning of the rat nerve growth factor receptor" <u>Nature</u> 325:593-597 (February 12, 1987)

Examiner

Date Considered

3/14/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1245R1P1

Serial No.

09/322,875

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Chuntharapai et al.

Filing Date

28 May 1999

Group

1644

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

61	Raff, "Social Controls on Cell Survival and Cell Death" <u>Nature</u> 356:397-400 (1992)
62	Ray et al., "Viral Inhibition of Inflammation: Cowpox Virus Encodes an Inhibitor of the Interleukin-1 $\beta$ Converting Enzyme" <u>Cell</u> 69:597-604 (May 15, 1992)
63	Sachs et al., "Control of Programmed Cell Death in Normal and Leukemic Cells: New Implications for Therapy" <u>Blood</u> 82:15-21 (1993)
64	Schall et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor" <u>Cell</u> 61:361-370 (April 20, 1990)
65	Schmid et al., "DNA Fragmentation: Manifestation of Target Cell Destruction Mediated by Cytotoxic T-cell Lines, Lymphotoxin-secreting Helper T-cell Clones, and Cell-free Lymphotoxin-containing Supernatant" <u>Proc. Natl. Acad. Sci. USA</u> 83:1881-1885 (1986)
*66	Schneider et al., "Characterization of two receptors for TRAIL" <u>FEBS Letters</u> 416:329-334 (1997)
*67	Schneider et al., "TRAIL receptors 1 (DR4) and 2 (DR5) signal FADD-dependent apoptosis and activate NF- $\kappa$ B" <u>Immunity</u> 7(6):831-836 (Dec 1997)
*68	Screaton et al., "TRICK2, a new alternatively spliced receptor that transduces the cytotoxic signal from TRAIL" <u>Current Biology</u> 7:693-696 (1997)
69	Seckinger et al., "Purification and biologic characterization of a specific tumor necrosis factor $\alpha$ inhibitor" <u>Journal of Biological Chemistry</u> 264:11966-11973 (1989)
*70	Sheridan et al., "Control of TRAIL-Induced Apoptosis by a Family of Signaling and Decoy Receptors" <u>Science</u> 277:818-821 (1997)
71	Simonet et al., "Osteoprotegerin: A Novel Secreted Protein Involved in the Regulation of Bone Density" <u>Cell</u> 89:309-319 (Apr 18, 1997)
72	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family of Cellular and Viral Proteins" <u>Science</u> 248:1019-1023 (May 25, 1990)
73	Smith et al., "T2 Open reading frame from the Shope fibroma virus encodes a soluble form of the TNF receptor" <u>Biochem. &amp; Biophys. Res. Comm.</u> 176:335-342 (1991)
74	Stamenkovic et al., "A B-lymphocyte activation molecule related to the nerve growth factor receptor and induced by cytokines in carcinomas" <u>EMBO Journal</u> 8(5):1403-1410 (1989)
75	Steller, "Mechanisms and Genes of Cellular Suicide" <u>Science</u> 267:1445-1449 (1995)
76	Takao et al., "Novel DNA Polymorphism in the Mouse Tumor Necrosis Factor Receptors Type 1 and Type 2" <u>Immunogenetics</u> 37:199-203 (1993)
77	Tartaglia et al., "A novel domain within the 55kd TNF receptor signals cell death" <u>Cell</u> 74(5):845-853 (1993)
78	Tewari et al., "Fas- and Tumor Necrosis Factor-induced Apoptosis Is Inhibited by the Poxvirus crmA Gene Product" <u>Journal of Biological Chemistry</u> 270:3255-3260 (1995)
79	Tewari et al., "Recent Advances in Tumor Necrosis Factor and CD40 Signaling" <u>Curr. Op. Genet. Develop.</u> 6:39-44 (1996)
80	Tewari et al., "Yama/CPP32 $\beta$ , a Mammalian Homolog of CED-3, Is a CrmA-Inhibitable Protease That Cleaves the Death Substrate Poly(ADP-Ribose) Polymerase" <u>Cell</u> 81:801-809 (1995)

Examiner

Date Considered

3/14/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Attv Docket No.

P1245R1P1

Serial No.

09/322,875

### LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

FEB 10 2000

Applicant

Chuntharapai et al.

Filing Date

28 May 1999

Group

1644

**OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)**

- |     |   |
|-----|---|
| 81  | Thompson, "Apoptosis in the Pathogenesis and Treatment of Disease" <u>Science</u> 267:1456-1462 (1995)  |
| 82  | Upton et al., "Myxoma virus expresses a secreted protein with homology to the tumor necrosis factor receptor gene family that contributes to viral virulence" <u>Virology</u> 184:370-382 (1991)                    |
| 83  | Upton et al., "Tumorigenic poxviruses: genomic organization and DNA sequence of the telomeric region of the Shope fibroma virus genome" <u>Virology</u> 160:20-29 (1987)  |
| 84  | Verma et al., "Rel/NF- $\kappa$ B/I $\kappa$ B Family: Intimate Tales of Association and Dissociation" <u>Genes Develop.</u> 9:2723-2735 (1995)   |
| 85  | von Bulow et al., "NF-AT Activation Induced by a CAML-Interacting Member of the Tumor Necrosis Factor Receptor Superfamily" <u>Science</u> 278:138-141 (Oct 3, 1997)  |
| *86 | Walczak et al., "TRAIL-R2: a novel apoptosis-mediating receptor for TRAIL" <u>EMBO Journal</u> 16(17):5386-5397 (1997)  |
| 87  | Watanabe-Fukunaga et al., "Lymphoproliferation Disorder in Mice Explained by Defects in Fas Antigen that Mediates Apoptosis" <u>Nature</u> 356:314-317 (1992)   |
| 88  | Welcher et al., "Nerve growth factor binding domain of the nerve growth factor receptor" <u>Proc. Natl. Acad. Sci. USA</u> 88:159-163 (1991)  |
| 89  | Wiley et al., "Identification and Characterization of a New Member of the TNF Family that Induces Apoptosis" <u>Immunity</u> 3:673-682 (1995)   |
| 90  | Wong et al., "TRANCE Is a Novel Ligand of the Tumor Necrosis Factor Receptor Family That Activates c-Jun N-terminal Kinase in T Cells" <u>Journal of Biological Chemistry</u> 272(40):25190-25194 (Oct 3, 1997)     |
| 91  | Yan and Chao, "Disruption of Cysteine-rich repeats of the p75 nerve growth factor receptor leads to loss of ligand binding" <u>Journal of Biological Chemistry</u> 266:12099-12104 (1991)                           |
| 92  | Yonehara et al., "A cell-killing monoclonal antibody (anti-Fas) to a cell surface antigen co-downregulated with the receptor of tumor necrosis factor" <u>Journal of Experimental Medicine</u> 169:1747-1756 (1989) |
| 93  | Zheng et al., "Induction of Apoptosis in Mature T Cells by Tumor Necrosis Factor" <u>Nature</u> 377:348-351 (1995)  |
| 94  | Zou et al., "Apaf-1, a Human Protein Homologous to C. elegans CED-4, Participates in Cytochrome c-Dependent Activation of Caspase-3" <u>Cell</u> 90:405-413 (1997)  |

Examiner

Date Considered

d  
3/14/01

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.